Appendix A

ALLERGEN SOURCE	SYSTEMATIC AND ORIGINAL NAMES	MW KDA	SEQ	ACCESSION NO. OR REFERENCES
WEED POLLENS		1		
Asterales				
Ambrosia artemisiifolia (short ragweed)	Amb a 1; antigen E Amb a 2; antigen K Amb a 3; Ra3 Amb a 5; Ra5 Amb a 6; Ra6 Amb a 7; Ra7 Amb a 7; Ra7	38 38 11 5 10 12	C C C C P C	8,20 8,21 22 11,23 24,25 26 27
Ambrosia trifida (giant ragweed)	Amb t 5; Ra5G	4.4	С	9,10,28
Artemisia vulgaris (mugwort)	Art v 1 Art v 2	27-29 35	C P	28A 29
Helianthus annuus (sunflower)	Hel a 1 Hel a 2; profilin	34 15.7	ċ	29a Y15210
Mercurialis annua	Mer a 1; profilin	14-15	С	Y13271
GRASS POLLENS				
Poales				
Cynodon dactylon (Bermuda grass)	Cyn d 1 Cyn d 7 Cyn d 12; profilin	32 14	C C	30,S83343 31,X91256 31a,Y08390
Dactylis glomerata (orchard grass)	Dac g 1; AgDg1 Dac g 2 Dac g 3 Dac g 5	32 11 31	P C C P	32 33,\$45354 33a,U25343 34
Holcus lanatus (velvet grass)	Hol 1 1		С	Z27084,Z68893
Lolium perenne (rye grass)	Lol p 1; group I Lol p 2; group II Lol p 3; group II Lol p 5; Lol p IX, Lol p Ib Lol p 11; trypsin inh. Related	27 11 11 31/35 16	c c c	35,36 37,37a,X73363 38 34,39 39a
Phalaris aquatica (canary grass)	Pha a 1		С	40,S80654
Phleum pratense (timothy grass)	PhI p 1 PhI p 2 PhI p 4 PhI p 5; Ag25 PhI p 6 PhI p 12; profilin	32	C C P C C	X78813 41,X75925 41A 42 43,Z27082 44,X77583

	Phl p 13; polygalacturonase	55-60	С	AJ238848
Poa pratensis (Kentucky blue grass)	Poa p 1; group I Poa p 5	33 31/34	P C	46 34,47
Sorghum halepense (Johnson grass)	Sor h 1		С	48
TREE POLLENS				
Fagales				
Alnus glutinosa (alder)	Aln g 1	17	С	S50892
Betula verrucosa (birch)	Bet v 1	17	С	see list of isoallergens M65179
	Bet v 2; profilin	15	C	X79267 X87153/S54819
	Bet v 3 Bet v 4	8	C	AF135127
	Bet v 5; isoflavone reductase homologue	33.5	č	
	Bet v 7; cyclophilin	18	С	P P81531
Carpinus betulus (hornbeam)	Car b 1	17	С	51
Castanea sativa (chestnut)	Cas s 1; Bet v 1 homologue Cas s5; chitinase	22	P	52
Corylus avelana (hazel)	Cor a 1	17	С	53
Quercus alba (white oak)	Que a 1	17	P	54
Cryptomeria japonica (sugi)	Cry j 1 Cry j 2	41-45	C C	55,56 57,D29772
Juniperus ashei (mountain cedar)	Jun a 1 Jun a 3	43 30	P P	P81294 P81295
Juniperus oxycedrus (prickly juniper)	Jun o 2; calmodulin-like	29	С	AF031471
Juniperus sabinoides (mountain cedar)	Jun s 1	50	P	58
Juniperus virginiana (eastern red cedar)	Jun v 1	43	P	P81825
Oleales				
Fraxinus excelsior (ash)	Fra e 1	20	P	58A
Ligustrum vulgare (privet)	Lig v 1	20	P	58A
Olea europea	Ole e 1;	16	C	59,60
(olive)	Ole e 2; profilin Ole e 3;	15-18 9.2	С	60A 60B
	Ole e 4;	32	P	P80741

	Ole e 5; superoxide dismutase Ole e 6;	16 10	P	P80740 U86342
Syringa vulgaris (lilac)	Syr v 1	20	P	58A
MITES				•
Acarus siro (mite)	Aca s 13; fatty acid-bind.prot.	14*	С	AJ006774
Blomia tropicalis (mite)	Blo t 5; Blo t 12; Bt11a Blo t 13; Bt6 fatty acid-binding prot		C C	U59102 U27479 U58106
Dermatophagoides pteronyssinus (mite)	Der p 1; antigen P1 Der p 2; Der p 3; trypsin Der p 4; amylase Der p 5; Der p 6; chymotrypsin Der p 7; Der p 8; glutathione transferase Der p 9; collagenolytic serine prot. Der p 14; apolipophorin like p	25 14 28/30 60 14 25 22-28	C C C P C C P C	61 62 63 64 65 66 67 67A 67B Y14906 Epton p.c.
Dermatophagoides microceras (mite)	Der m 1;	25	P	68
Dermatophagoides farinae (mite)	Der f 1; Der f 2; Der f 10; tropomyosin Der f 11; paramyosin Der f 14; Mag3, apolipophorin	25 14 30 98	000000	69 70,71 63 72 72a D17686
Euroglyphus maynei (mite)	Eur m 14; apolipophorin	177	С	AF149827
Lepidoglyphus destructor (storage mite)	Lep d 2.0101; Lep d 2.0102;	15 15	C C	73,74,75 75
ANIMALS				
Bos domesticus (domestic cattle) (see also foods)	Bos d 2; Ag3,lipocalin Bos d 4; alpha-lactalbumin Bos d 5; beta-lactoglobulin Bos d 6; serum albumin Bos d 7; immunoglobulin Bos d 8; caseins	20 14.2 18.3 67 160 20-30	0000	76,L42867 M18780 X14712 M73993 77 77
Canis familiaris (Canis domesticus (dog)	Can f 1; Can f 2; Can f ?; albumin	25 27	C C C	78,79 78,79 S72946
Equus caballus (domestic horse)	Equ c 1; lipocalin Equ c 2; lipocali	25 18.5	C P	U70823 79A,79B
Felis domesticus	Fel d 1; cat-1	38	С	15

(cat saliva)				
Mus musculus (mouse urine)	Mus m 1; MUP	19	С	80,81
Rattus norvegius (rat urine)	Rat n 1	17	С	82,83
FUNGI				
Ascomycota				
Dothidiales				
Alternaria alternata	Alt a 1;	28	С	U82633
	Alt a 2;	25	C	U87807,U87808
	Alt a 3; heat shock protein	70	C	X78222,
	Alt a 6; ribosomal protein	11	C	U87806
	Alt a 7; YCP4 protein	22	C	X78225
	Alt a 10; aldehyde dehydrogenase	53	C	X78227, P42041
	Alt a 11: enolase	45	l c	U82437
	Alt a 12;acid.ribosomal prot P1	11	Č	X84216
Cladosporium	Clah 1;	13	Ť	83a,83b
herbarum	Cla h 2:	23		83a,83b
nerourum	Cla h 3; aldehyde dehydrogenase	53	C	X78228
	Cla h 4; ribosomal protein	11	l č	X78223
	Cla h 5; YCP4 protein	22	l č	X78224
	Cla h 6: enolase	46	l č	X78226
	Cla h 12;acid.ribosomal prot P1	11	Č	X85180
Eurotiales	Cia ii 12,actanicocomia provi	1		
	Asp fl 13; alkaline	34		84
	serine proteinase	"		
Aspergillus	Asp f 1;	18	С	83781,S39330
Fumigatus	Asp f 2;	37	l c	U56938
-	Asp f 3; peroxisomal protein	19	C	U20722
	Asp f 4;	30	C	AJ001732
	Asp f 5; metalloprotease	42	C	Z30424
	Asp f 6; Mn superoxide dismutase	26.5	C	U53561
	Asp f 7;	12	C	AJ223315
	Asp f 8; ribosomal protein P2	11	C	AJ224333
	Asp f 9;	34	C	AJ223327
	Asp f 10; aspartic protease	34		X85092
	Asp f 11; peptidyl-prolyl isom	24		84a
	Asp f 12; heat shock prot. P70	65	C	U92465
	Asp f 13; alkaline serine proteinase	34		84b
	Asp f 15;	16	C	AJ002026
	Asp f 16;	43	C	g3643813
	Asp f 17;	34 90	С	AJ224865
	Asp f 18; vacuolar serine	55	P	84c 85
	Asp f ?; Asp f ?;	35	P	85 86
Aspergillus niger	Asp n 14; beta-xylosidase	105	C	AF108944
roperginus inger	Asp n 18;	34	l č	84b
	vacuolar serine	1 27	ı	

	T				
	proteinase Asp n ?;		35	С	Z84377
Aspergillus oryzae	Asp o 2; TAKA-amylase A		53	C	D00434,M33218
	Asp o 13; alkaline scrine proteina	se 3	34	č	X17561
Penicillium	Pen b 13; alkaline serine Proteina	se 3	33		86a
brevicompactum					
Penicillium citrinum	Pen c 1; heat shock protein P70	1	70	С	U64207
	Pen c 3; peroxisomal membrane protein				86b
	Pen c 13; alkaline serine proteinas	se i	33		86a
Penicillium notatum	Pen n 1; N-acetyl	(58		87
	glucosaminidase				
	Pen n 13; alkaline serine proteina Pen n 18; vacuolar serine proteina		34 32		89 89
Penicillium oxalicum	Pen o 18; vacuolar serine proteina		34		89
Onygenales	Ten 6 16, vacuosas serme piotena	isc .	,,		07
Trichophyton rubrum	Tri r 2:		_	С	90
Trichophry ton ruorum	Tri r 4; serine protease			č	90
Trichophyton	Trit1;	- 1	30	P	91
tonsurans	Tri t 4; serine protease	1	33	С	90
Saccharomycetales	•				
Candida albicans	Cand a 1	4	10	С	88
Candida boidinii	Cand b 2	- 2	20	С	J04984,J04985
Basidiomycota	•				
Basidiolelastomycetes					
Malassezia furfur	Mal f 1;				91a
	Mal f 2; MF1 peroxisomal membrane protein	21		С	AB011804
	Mal f 3; MF2 peroxisomal	20		С	AB011805
	membrane protein			-	
	Mal f 4,	35		C	Takesako, p.c.
	Mal f 5; Mal f 6; cyclophilin homologue	18*		C	AJ011955
	Wai i o, cyclopinini nomologue	17*			AJ011956
Basidiomycetes					1
Psilocybe cubensis	Psi c 1;	16			91b
	Psi c 2; cyclophilin				
Coprinus comatus	Cop c 1;	11		С	AJ132235
(shaggy cap)	Cop c 2;				
	Cop c 3;				Brander, p.c.
	Cop c 5;				Brander, p.c.
	Cop c 7;				Brander, p.c.
INSECTS					
Aedes aegyptii	Aed a 1; apyrase	68		C	L12389
(mosquito)	Aed a 2;	37		C	M33157

Apis mellifera	Api m 1; phospholipase A2	16	C	92
(honey bee)	Api m 2; hyaluronidase	44	C	93
	Api m 4; melittin	3	C	94
	Api m 6;	7-8	P	Kettner,p.c.
Bombus	Bom p 1; phospholipase	16	Р	95
pennsylvanicus	Bom p 4; protease		P	95
(bumble bee)			-	
Blattella germanica	Bla g 1; Bd90k		С	96
(German cockroach)	Bla g 1; Bd90k Bla g 2; aspartic protease	36	ľč	96
(German cockroacn)	Bla g 4; calycin	21	ľč	97
	Bla g 5; glutathione transf.	21 22	ľč	98
	Bla g 5; giutatnione transi. Bla g 6; troponin C	27	ľč	98 98
			-	
Periplaneta americana	Per a 1; Cr-PII	72-78	С	98A
(American cockroach)	Per a 3; Cr-PI		C	
	Per a 7; tropomyosin	37	С	Y14854
Chironomus thummi	Chi t 1-9; hemoglobin	16	С	99
thummi (midges)	Chi t 1.01; component III	16	C	P02229
	Chi t 1.02; component IV	16	C	P02230
	Chi t 2,0101; component I	16	Ċ	P02221
	Chi t 2.0102; component IA	16	Ċ	P02221
	Chi t 3; component II-beta	16	Ċ	P02222
	Chi t 4; component IIIA	16	Ċ	P02231
	Chi t 5; component VI	16	Ċ	P02224
	Chi t 6,01; component VIIA	16	Ιċ	P02226
	Chi t 6.02; component IX	16	Ιč	P02223
	Chi t 7; component VIIB	16	Ċ	P02225
	Chi t 8; component VIII	16	Ιč	P02227
	Chi t 9; component X	16	l č	P02228
Dolichovespula	Dol m 1; phospholipase A1	35	c	100
maculata	Dol m 2; hyaluronidase	44	l č	101
(white face hornet)	Dol m 5; antigen 5	23		102,103
	, .		С	
Dolichovespula	Dol a 5; antigen 5	23	C	104
arenaria				
(yellow hornet)				
Polistes annularies	Pol a 1; phospholipase A1	35	P	105
(wasp)	Pol a 2; hyaluronidase	44	P	105
	Pol a 5; antigen 5	23	C	104
Polistes dominulus	Pol d 1:	32-34	С	DR Hoffman
(Mediterranean paper	Pol d 4; serine protease			DR Hoffman
wasp)	Pol d 5;			P81656
Polistes exclamans	Pol e 1; phospholipase A1	34	P	107
(wasp)	Pol e 5; antigen 5	23	Гĉ	104
Polistes fuscatus	Pol f 5; antigen 5	23	С	106
(wasp)				
Polistes metricus	Pol m 5; antigen 5	23	P	106
(wasp)				
Vespa crabo	Vesp c 1; phospholipase	34	P	107
(European hornet)	Vesp c 5.0101; antigen 5	23	С	106

	Lv. 50100 c 5	23	С	106
	Vesp c 5.0102; antigen 5	23	С	100
Vespa mandarina (giant asian hornet)	Vesp m 1.01; Vesp m 1.02;			DR Hoffman DR Hoffman
(giant asian nornet)				P81657
	Vesp m 5;			
Vespula flavopilosa (yellowjacket)	Ves f 5; antigen 5	23	С	106
.,				
Vespula germanica (yellowjacket)	Ves g 5; antigen 5	23	С	106
Vespula maculifrons (vellowjacket)	Ves m 1; phospholipase A1 Ves m 2; hvaluronidase	33.5	C	108 109
(yenowjacket)	Ves m 2; nyaiuronidase Ves m 5; antigen 5	44 23	23	109
Vespula	Ves p 5; antigen 5	23	C	106
pennsylvanica	ves p 3; antigen 3	23		106
(yellowjacket)				
Vespula squamosa	Ves s 5; antigen 5	23	C	106
(yellowjacket)	,		~	
Vespula vidua	Ves vi 5:	23	С	106
(wasp)			`	
Vespula vulgaris	Ves v 1; phopholipase A1	35	С	105A
(yellowjacket)	Ves v 2; hyaluronidase	44	P	105A
	Ves v 5; antigen 5	23	C	104
Myrmecia pilosula	Myr p 1,		С	X70256
(Australian jumper	Myr p 2;		С	S81785
ant)				
Solenopsis geminata	Sol g 2;			DR Hoffman
(tropical fire ant)	Sol g 4			DR Hoffman
Solenopsis invicta	Soli2;	13	C	110,111
(fire ant)	Soli3;	24 13	C	110 110
	Soli 4;	13	C	
Solenopsis saevissima (brazilian fire ant)	Sols 2;			DR Hoffman
FOODS				
Gadus callarias	Gad c 1; allergen M	12	С	112,113
(cod)				X97824,X97825
Salmo salar (Atlantic salmon)	Sals 1; parvalbumin	12	С	X9/824,X9/825
		ļ		
Bos domesticus (domestic cattle)	Bos d 4; alpha-lactalbumin Bos d 5; beta-lactoglobulin	14.2 18.3	C	M18780 X14712
(domestic cattle)	Bos d 5; beta-ractogrobum Bos d 6; serum albumin	67	l č	M73993
	Bos d 7; immunoglobulin	160		77
	Bos d 8; caseins	20-30		77
Gallus domesticus	Gal d 1; ovomucoid	28	С	114,115
(chicken)	Gald 2; ovalbumin	44	C	114,115
	Gald 3; conalbumin (Ag22)	78	С	114,115
	Gald 4; lysozyme	14	С	114,115
	Gal d 5; serum albumin	69	С	X60688

Metapenaeus ensis (shrimp)	Met e 1; tropomyosin		С	U08008
Penaeus aztecus (shrimp)	Pen a 1; tropomyosin	36	P	116
Penaeus indicus (shrimp)	Pen i 1; tropomyosin	34	С	117
Todarodes pacificus (squid)	Tod p 1; tropomyosin	38	P	117A
Haliotis Midae (abalone)	Hal m 1	49	-	117B
Apium graveolens (celery)	Api g 1; Bet v 1 homologue Api g 4; profilin Api g 5;	16* 55/58	C	Z48967 AF129423 P81943
Brassica juncea (oriental mustard)	Bra j 1; 2S albumin	14	C	118
Brassica rapa (turnip)	Bra r 2; prohevein-like protein	25	?	P81729
Hordeum vulgare (barley)	Hor v 1; BMAI-1	15	С	119
Zea mays (maize, corn)	Zea m 14; lipid transfer prot.	9	P	P19656
Corylus avellana (hazelnut)	Cor a 1.0401; Bet v 1 homologue	17	С	AF136945
Malus domestica (apple)	Mal d 1; Bet v 1 homologue Mal d 3; lipid transfer protein	9	C	X83672 Pastorello
Pyrus communis (pear)	Pyr c 1; Bet v 1 homologue Pyr c 4; profilin Pyr c 5; isoflavone reductase	18 14	C C	AF05730 AF129424
Oryza sativa (rice)	homologue Ory s 1;	33,5	C	AF071477 U31771
Persea americana (avocado)	Pers a 1; endochitinase	32	С	Z78202
Prunus armeniaca (apricot)	Pru ar 1; Bet v 1 homologue Pru ar 3; lipid transfer protein	9	C P	U93165
Prunus avium (sweet cherry)	Pru av 1; Bet v 1 homologue Pru av 2; thaumatin homologue Pru av 4; profilin	15	C C	U66076 U32440 AF129425
Prunus persica (peach)	Pru p 3;lipid transfer protein	10	P	P81402
Sinapis alba (yellow mustard)	Sin a 1; 2S albumin	14	С	120
Glycine max (soybean)	Gly m 1.0101; HPS Gly m 1.0102; HPS Gly m 2 Gly m 3; profilin	7.5 7 8 14	P P P C	121 121 A57106 AJ223982

Arachis hypogaea	Ara h 1; vicilin	63.5	С	L34402
(peanut)	Ara h 2; conglutin	17	C	L77197
	Ara h 3; glycinin	14	C	AF093541
	Ara h 4; glycinin	37	C	AF086821
	Ara h 5; profilin	15	C	AF059616
	Ara h 6; conglutin homolog	15	C	AF092846
	Ara h 7; conglutin homolog	15	С	AF091737
Actinidia chinensis (kiwi)	Act c 1; cysteine protease	30	P	P00785
Solanum tuberosum (potato)	Sol t 1; patatin	43	P	P15476
Bertholletia excelsa (Brazil nut)	Ber e 1; 2S albumin	9	С	P04403,M17146
Juglans regia	Jug r 1; 2S albumin	44	С	U66866
(English walnut)	Jug r 2; vicilin		C	AF066055
Ricinus communis (Castor bean)	Ric c 1; 2S albumin		С	P01089
OTHERS	•	*		
Anisakis simplex	Ani s 1	24	P	A59069
(nematode)	Ani s 2; paramyosin	97	Ċ	AF173004
Ascaris suum	Asc s 1;	10	P	122
(worm)				
Aedes aegyptii	Aed a 1; apyrase	68	С	L12389
(mosquito)	Aed a 2;	37	С	M33157
Hevea brasiliensis	Hev b 1; elongation factor	58	P	123,124
(rubber)	Hev b 2; (1,3-glucanase	58	P	123,124
(,	Hev b 2; (1,3-glucanase	34/36	С	125
	Hev b 3	24	P	126,127
	Hev b 4; component of microhelix protein complex	100/110/115	P	128
	Hev b 5	16	C	U42640
	Hev b 6.01 hevein precursor	20	C	M36986/p02877
	Hev b 6.02 hevein	5	C	M36986/p02877 M36986/p02877
	Hev b 6.03 C-terminal fragment	14	С	U80598
	Hev b 7; patatin homologue	46	C	Y15042
	Hev b 8; profilin	14	C	AJ132580/AJ1
	Hev b 9; enolase	51	C	32581
				AJ249148
	Hev b 10; Mn-superoxide dismut	26	С	AJ249148
Ctenocephalides felis	Cv. 61.	-	_	
Ctenocephalides felis felis	Cte f 1; Cte f 2; M1b	27	c c	AF231352
(cat flea)	Cic 12, WIID		`	AF 231332
Homo sapiens	Hom s 1;	73*	С	Y14314
(human	Hom s 2;	10.3*	c	X80909
autoallergens)	Hom s 3:	20.1*	Ċ	X89985

Hom s 4;	36*	C	Y17711
Hom s 5:	42.6*	0	P02538
Hom s 5;	42.6*	·	P02558

- 1. Marsh, D.G., and L.R. Freidhoff. 1992. ALBE, an allergen database. IUIS, Baltimore, MD, Edition 1.0.
- Marsh, D. G., L. Goodfriend, T. P. King, H. Lowenstein, and T. A. E. Platts-Mills. 1986. Allergen nomenclature. Bull WHO 64:767-770.
- King, T.P., P.S. Norman, and J.T. Cornell. 1964. Isolation and characterization of allergen from ragweed pollen. II. Biochemistry 3:458-468.
 - 4. Lowenstein, H. 1980. Timothy pollen allergens. Allergy 35:188-191.
 - 5. Aukrust, L. 1980. Purification of allergens in Cladosporium herbarum. Allergy 35:206-207.
 - Demerec, M., E. A. Adelberg, A. J. Clark, and P. E. Hartman. 1966. A proposal for a uniform nomenclature in bacterial genetics. 54:61-75.
- Bodmer, J. G., E. D. Albert, W. F. Bodmer, B. Dupont, H. A. Erlich, B. Mach, S. G. E. Marsh, W. R. Mayr, P. Parham, T. Sasuki, G. M. Th. Schreuder, J. L. Strominger, A. Svejgaard, and P. I. Terasaki. 1991. Nomenclature for factors of the HLA system, 1990. Immunogenetics 33-301, 200
 - Griffith, I.J., J. Pollock, D.G. Klapper, B.L. Rogers, and A.K. Nault. 1991. Sequence polymorphism of Amb a I and Amb a II, the major allergens in Ambrosia artemisiifolia (short ragweed). Int. Arch. Allergy Appl. Immunol. 96:296-304.
- Roebber, M., D. G. Klapper, L. Goodfriend, W. B. Bias, S. H. Hsu, and D. G. Marsh. 1985. Immunochemical and genetic studies of Amb t V (Ra5G), an Ra5 homologue from giant ragweed pollen. J. Immunol. 134:3062-3069.
 - Metzler, W. J., K. Valentine, M. Roebber, M. Friedrichs, D. G. Marsh, and L. Mueller. 1992. Solution structures of ragweed allergen Amb 1V. Biochemistry 31:5117-5127.
 Metzler, W. J., K. Valentine, M. Roebber, D. G. Marsh, and L. Mueller. 1992. Proton resonance assignments and three-dimensional
- Metzler, W. J., K. Valentine, M. Koeboer, D. G. Marsh, and L. Mueller. 1992. Proton resonance assignments and inrec-unimensional solution structure of the ragweed allergen Amb a V by nuclear magnetic resonance spectroscopy. Biochemistry 31:8697-8705.
 Goodfriend, L., A.M. Choudhury, J. Del Carpio, and T.P. King. 1979. Cytochromes C: New nagweed pollen allergens. Fed. Proc.
- 38:1415.

 13. Ekramoddoullah, A. K. M., F. T. Kisil, and A. H. Sehon. 1982. Allergenic cross reactivity of cytochrome c from Kentucky bluegrass and
- perennial ryegrass pollens. Mol. Immunol. 19:1527-1534.

 14. Ansari, A. A., E. A. Killora, and D. G. Marsh. 1987. An investigation of human response to perennial ryegrass (Lolium perenne) pollen cytychrome (Lol p X). J. Allergy Clin. Immunol. 80:229-235.
- Morgenstern, J.P., L.J. Griffith, A.W. Brauer, B.L. Rogers, J.F. Bond, M.D. Chapman, and M. Kuo. 1991. Amino acid sequence of Fel d I, the major allergen of the domestic cat: protein sequence analysis and cDNA cloning. Proc. Natl. Acad. Sci. USA 88:9690-9694.
- Grifffith, LJ., S. Craig, J. Pollock, X. Yu, J.P. Morgenstern, and B.L.Rogers. 1992. Expression and genomic structure of the genes encoding RdI, the major allergen from the domestic cat. Gene 113:263-268.
 Weber, A., L. Marz, and F. Alfmann. 1986. Characteristics of the asparagine-linked oligosaccharide from honey-bee venom
- phospholipase A2. Comp. Biochem. Physiol. 83B:321-324.

 18. Weber, A., H. Schroder, K. Thalberg, and L. Marz. 1987. Specific interaction of IgE antibodies with a carbohydrate epitope of honey bee
- venom phospholipase A2. Allergy 42-464-470.

 19. Stanworth, D. R., K. J. Dorrington, T. E. Hugli, K. Reid, and M. W. Turner. 1990. Nomenclature for synthetic peptides representative of
- immunoglobulin chain sequences. Bulletin WHO 68:109-111.
 20. Rafnar, T., I. J. Griffith, M. C. Kuo, J. F. Bond, B. L. Rogers, and D.G. Klapper. 1991. Cloning of Amb a I (Antigen E), the major allergen
- family of short ragweed pollen. J. Biol. Chem. 266: 1229-1236.

 21. Rogers, B.L., J.P. Morgenstern, I.J. Griffith, X.B. Yu, C.M. Counsell, A.W. Brauer, T.P. King, R.D. Garman, and M.C. Kuo. 1991.

 40. Complete sequence of the allergen Armb a lit: recombinant expression and reactivity with T cells from ragweed allergic patients. J. Immunol.
- 147:2547-2552.
 Klapper, D.G., L. Goodfriend, and J.D. Capra. 1980. Amino acid sequence of ragweed allergen Ra3. Biochemistry 19:5729-5734.
 Ghosh, B., M.P. Perry, T. Rafnar, and D.G. Marsh. 1993. Cloning and expression of immunologically active recombinant Amb a V
- allergen of short ragweed (Ambrosia artemisiifolia) pollen. J. Immunol. 150:5399.

 45 24. Roebber, M., R. Hussain, D. G. Klapper, and D. G. Marsh. 1983. Isolation and properties of a new short ragweed pollen allergen, Ra6. J.
- Immunol. 131:706-711.
 25. Lubahn, B., and D.G. Klapper. 1993. Cloning and characterization of ragweed allergen Amb a VI (abst). J. Allergy Clin. Immunol. 91:338.
- Roebber, M., and D.G. Marsh. 1991. Isolation and characterization of allergen Amb a VII from short ragweed pollen. J. Allergy Clin. Immunol. 87:324.
 - Rogers, B.L., J. Pollock, D.G. Klapper, and I.J. Griffith. 1993. Cloning, complete sequence, and recombinant expression of a novel allergen from short ragweed pollen (abst). J. Allergy Clin. Immunol. 91:339
 Goodfreind, L., A.M. Choudhury, D.G. Rhoper, K.M. Couller, G. Dorval, J. DelCarpio, and C.K. Osterland. 1985. Ra5G, a homologue of
- Goodfrend, L., A.M. Choudhury, D.G. Klapper, K.M. Coulter, G. Dorval, J. DelCarpio, and C.K. Osterland. 1985. Ra5G, a homologue of Ra5 in giant ragweed pollen: isolation, HLA-DR-associated activity and amino acid sequence. Mol. Immunol. 22:899-906.
 Breitenbach M, pers. comm.
- Nilsen, B. M., K. Sletten, M. O'Neill, B. Smestead Paulsen, and H. van Halbeek. 1991. Structural analysis of the glycoprotein allergen Art v II from pollen of mugwort (Artemesia vulgaris). J. Biol. Chem. 266:2660-2668.
 - 29A Jimenez A, Moreno C, Martinez J, Martinez A, Bartolome B, Guerra F, Palacios R 1994. Sensitization to sunflower pollen: only an occupational allergy? Int Arch Allergy Immunol 105:297-307.
 30. Smith,PM, Sphipioghz, Griffith,LJ, Theriauli,K., Knox,R.B. and Singh,M.B. 1996.
 - Cloning and expression in yeast Pichia pastoris of a biologically active form of Cyn d 1, the major allergen of Bermuda grass pollen. J. Allergy Clin. Immunol. 98:331-343.

60

- Suphioglu, C., Ferreira, F. and Knox, R.B. 1997. Molecular cloning and immunological characterisation of Cyn d 7, a novel calcium-binding allergen from Bermuda grass pollen. FEBS Lett. 402:167-172.
- 31a. Asturias JA, Arilla MC, Gomez-Bayon N, Martinez J, Martinez A, and Palacios R. 1997. Cloning and high level expression of Cynodon dactylon (Bermuda grass) pollen profilin (Cyn d 12) in Escherichia coli: purification and characterization of the allergen. Clin Exp Allergy 27:1307-1318.
- Mecheri, S., G. Pettre, and B. David. 1985. Purification and characterization of a major allergen from Dactylis glomerata pollen: The Ag Dg I. Int. Arch. Allergy Appl. Immunol. 78:283-289.
- Roberts, A.M., L.J. Bevan, P.S. Flora, I. Jepson, and M.R. Walker. 1993. Nucleotide sequence of cDNA encoding the Group II allergen of Cocksfoot/Orchard grass (Daetylis glomerata), Das gil. Allergy 48:615-6223.
 Gueira-Marchand, C., Sencolal, H., Bouin, A.P., Ledue-Brodard, V., Taudou, G., Weyer, A., Peltre, G. and David, B. 1996. Cloning, sequencing
- and immunological characterization of Dac g 3, a major allergen from Dactylis glomerata pollen. Mol. Immunol. 33:797-806.

 34. Klysner, S., K. Welinder, H. Lowenstein, and F. Matthiesen. 1992. Group V allergens in grass pollen IV, Similarities in amino acid compositions and amino terminal sequences of the group V allergens from Lollum perenne, Poa pratensis and Dactylis glomerata. Clin. Exp.
- compositions and amino terminal sequences of the group V allergens from Lollum percane, Pon pratensis and David Signmenta. Clin. Exp.

 15 35. Perc. M. G. Y. Ishioka, L. E. Walker, and R. W. Chesnut. 1990. cD/NA cloning and immunological characterization of the rye grass
- allergen Lol p I. J. Biol. Chem. 265:16210-16215.

 36. Griffith, I. J. P. M. Smith, J. Pollock, P. Theorakulpisut, A. Avjioglu, S. Davies, T. Hough, M. B. Singh, R. J. Simpson, L. D. Ward, and R. B. Knov, 1991. Cloning and sequencing of Lol p I, the major allergenic protein of rye-grass pollen. FFBS Letters 279:210-215.
- B. Knox. 1991. Choning and sequencing of Loft p. the major attengence protein of type-grass potten. FFBS Letters 2.992.00-215.

 37. Ansari, A. A., P. Shenbagamarthi, and D.G. Marsh. 1989. Complete amino acid sequence of a Loftum perenne (perennial rye grass) pollen allergen, Loft pl. J. Biol. Chem. 264:1181-11185.
- 37a. Sdoli, A. Tamborini, E., Giuntini, L. Levi, S., Volons, G., Paini, C., De Lalla, C., Secardi, A.G., Bandla, F.E., Galliani, S. and Arasio, P. 1993. Cloning, expression, and immunolypical characterization of recombinant loisium persons altergant Lol II, Julio L. Chem. 268:192-1285.
 38. Anari, A. A., P. Shenbagamurthi, and D. G. Marsh. 1989. Complete primary structure of a Lolium persons (personnial rye grass) pollen allerene. Lol III Comparison with known Lol 1 and II seconesses. Biochemistry 28:665-56-70.
- 25 39. Singh, M. B., T. Hough, P. Thoenkulpisut, A. Ayioghu, S. Davies, P. M. Smith, P. Taylor, R. J. Simpson, L. D. Ward, J. McCluskoy, R. D. Puy, and R. Ri, Knox. 1991. Loshation of CDNA menoding a newly identified major allergenic protein of ryv-grass pollien: Intracellular targeting to the amyloplost. Proc. Natl. Acad. Sci. 88:1384-1388.
 39a. wan Roe R. Hoffman DR, van Dilk W. Hordard V., Mahileu K. Koeleman CA, Grande M., van Lecuwen WA, Authers RG, (1995). Lol p. XI, a.
- 30 an ever a prior grass pollen allergen, is a member of a family of soybean trypsin inhibitor-related proteins. J Blargy (in Impulse of a family of soybean trypsin inhibitor-related proteins. J Blargy (in Immunol 95970-978.
 40. Saphiogluc, and Singh, M.B. 1995. Cloning, sequencing and expression in Escherichia coli of Pha a I and four isoforms of Pha a 5, the major callergens of canary grans pollen. Clin. Evy. Allergy 2578-578.
 - (al) Delegens of standy guess portent: Cut. Exp. Cut. 25, 25, 255-250.
 41. Delegens, C., Vatlas, S., Gaffers, S., Steinberger, P., Kraft, D., Scheiner, O. and Valenta, R. 1993. Molecular characterization of Ph p II, a major timothy grass (Phicum pratease) pollun allergen. FEBS Lett. 335:299-304.
 41. Fischer S., Groto M., Falbusch B., Muller W.D., Kraft D., Valenta R. 1996. Characterization of Ph p 4, a major timothy grass (Phicum
- pratense) pollen allergen. J Allergy Clin Immunol 98:189-198.
 Matthiesen, F., and H. Lowenstein. 1991. Group V allergens in grass pollens. I. Purification and characterization of the group V allergen
 - Anamison, T., and F. Lovelindon. 1997. (No. pt.) whoegain in gas postum. I. turnstant and chance transaction of the gloup vallegar from Phileum pratense pollen, Phil P. V. Clin. Exp. Allergy 21:297-307.
 Petersen, A., Bufe, A., Schramm, G., Schlank, M. and Becker, W. M. 1995. Characterization of the allergen group VI in timothy grass pollen (Ph.) p. G. II. Ch. DNA cloning of Ph.) p. Gan structural comparison to grass group V. Int. Arch. Allergy Immunol. 108:55-59.
- 40 44. Valenta,R., Ball,T., Vrtala,S., Duchene,M., Kraft,D. and Scheiner,O. 1994. cDNA cloning and expression of timothy grass (Phleum pratense) pollen profilin in Escherichia coli: comparison with birch pollen profilin. Biochem. Biophys. Res. Commun. 199:106-118.
 - Esch, R. E., and D. G. Klapper. 1989. Isolation and characterization of a major cross-reactive grass group I allergenic determinant. Mol. Immunol. 26:557-561.
- Olsen, E., L. Zhang, R. D. Hill, F. T. Kisil, A. H. Sehon, and S. Mohapatra. 1991. Identification and characterization of the Poa p IX group of basic allergens of Kentucky bluograss pollen. J. Immunol. 147:205-211.
 Avjioglu, A., M. Singh, and R.B. Kox. 1993. Sequence analysis of Sor h I, the group I allergen of Johnson grass pollen and it
 - comparison to rye-grass Lol p I (abst). J. Allergy Clin. Immunol. 91:340.

 51. Larsen, J.N., P. Str'man, and H. Ipsen. 1992. P CR based cloning and sequencing of isogenes encoding the tree pollen major allergen Carb I from Carminos beatules. Inforebasen. Mol. Immunol. 29:703-711.
- 50 1 from Carpinus sentius, sorneedan. wol. Immando. 27-03-01.
 51. See Jr. Hoffmann-Sommerguber K, Ferreira F, Hirschwehr R, Ahorn H, Horak F, Jager S, Sperr W, Kraft D, Scheiner O. 1993. Purification, characterization and N-terminal amino acid sequence of a new major allergen from European chestnut pollen-Cas s 1. Biochem Biophys Res Commun 1961 (086-02.
 - Breiteneder, H., F. Ferreira, K. Hoffman-Sommergruber, C. Ebner, M. Breitenbach, H. Rumpold, D. Kraft, and O. Scheiner. 1993. Four recombinant isoforms of Cor a I, the major allergen of hazel pollen. Europ. J. Biochem. 212:355-362.
- Ipsen, H., and B.C. Hansen. 1991. The NH2-terminal amino acid sequence of the immunochemically partial identical major allergens of ader (Almus glutinosa) Alm g I, birch (Betula vernucosa) Bet v I, hornbeam (Carpinus betulus) Car b I and oak (Quercus alba) Que a I pollens. Mol. Immunol. 28:1279-1288.
 - Taniai, M., S. Ando, M. Usui, M. Kurimoto, M. Sakaguchi, S. Inouye, and T. Matuhasi. 1988. N-terminal amino acid sequence of a major allergen of Japanese codar pollen (Cry J). FEBS Lett. 239:329-342.
 Griffith, L.J. A. Lussier, R. Garman, R. Koury, H. Yeung, and J. Pollock. 1993. The cDNA cloning of Cry J I, the major allergen of
- Crystomeria japonica (Japanese codar) (abst). J. Allengy Clin. Immunol. 91:339.

 57. Sakaguchi, M. S. Inouye, M. Taniai, S. Ando, M. Usui, and T. Matuhasi. 1990. Identification of the second major allergen of Japanese codar police. Allergy 45:599-312.
- 58 Gross GN, Zimburean JM, Capra JD 1978. Isolation and partial characterization of the allergen in mountain cedar pollen. Scand J Immunol
 65 8:437-41

60

10

- 58A Obispo TM, Melero JA, Carpizo JA, Carreira J, Lombardero M 1993. The main allergen of Olea europaea (Ole e I) is also present in other species of the oleaceae family, Clin Exp Allergy 23:311-316.
- 59. Cardaba, B., D. Hernandez, E. Martin, B. de Andres, V. del Pozo, S. Gallardo, J.C. Fernandez, R. Rodriguez, M. Villalba, P. Palomino, A. Basomba, and C. Lahoz. 1993. Antibody response to olive pollen antigens: association between HLA class II genes and IgE response to Ole e I (abst). J. Allergy Clin. Immunol. 91:338. Villalba, M., E. Batanero, C. Lopez-Otin, L.M. Sanchez, R.I. Monsalve, M.A. Gonzalez de la Pena, C. Lahoz, and R. Rodriguez. 1993.
- Amino acid sequence of Ole e I, the major allergen from olive tree pollen (Olea europaea). Europ. J. Biochem. 216:863-869. 60A. Asturias JA, Arilla MC, Gomez-Bayon N, Martinez J, Martinez A, Palacios R 1997. Cloning and expression of the panallergen profilin
- and the major allergen (Ole e 1) from olive tree pollen. J Allergy Clin Immunol 100:365-372. 10 60B. Batanero E, Villalba M, Ledesma A Puente XS, Rodriguez R. 1996. Ole e 3, an olive-tree allergen, belongs to a widespread family of
 - pollen proteins. Eur J Biochem 241: 772-778. 61. Chua, K. Y., G. A. Stewart, and W. R. Thomas. 1988. Sequence analysis of cDNA encoding for a major house dust mite allergen, Der p I. J. Exp. Med. 167:175-182.
- Chua, K. Y., C. R. Doyle, R. J. Simpson, K. J. Turner, G. A. Stewart, and W. R. Thomas. 1990. Isolation of cDNA coding for the major 15 mite allergen Der p II by IgE plaque immunoassay. Int. Arch. Allergy Appl. Immunol, 91:118-123.
 - 63. Smith WA, Thomas WR. 1996. Comparative analysis of the genes encoding group 3 allergens from Dermatophagoides pteronyssinus and Dermatophagoides farinae. Int Arch Allergy Immunol 109: 133-40.
 - Lake, F.R., L.D. Ward, R.J. Simpson, P.J. Thompson, and G.A. Stewart. 1991. House dust mite-derived amylase: Allergenicity and physicochemical characterisation. J. Allergy Clin. Immunol. 87:1035-1042.
- 20 65. Tovey, E. R., M. C. Johnson, A. L. Roche, G. S. Cobon, and B. A. Baldo. 1989. Cloning and sequencing of a cDNA expressing a recombinant house dust mite protein that binds human IgE and corresponds to an important low molecular weight allergen. J. Exp. Med. 170:1457-1462.
- 66. Yasueda, H., T. Shida, T. Ando, S. Sugiyama, and H. Yamakawa. 1991. Allergenic and proteolytic properties of fourth allergens from Dermatophagoides mites. In: "Dust Mite Allergens and Asthma, Report of the 2nd international workshop" A. Todt, Ed., UCB Institute of 25 Allergy, Brussels, Belgium, pp. 63-64.
- Shen, H.-D., K.-Y. Chua, K.-L. Lin, K.-H. Hsieh, and W.R. Thomas. 1993. Molecular cloning of a house dust mite allergen with common antibody binding specificities with multiple components in mite extracts. Clin. Exp. Allergy 23:934-40. 67A. O'Neil GM, Donovan GR, Baldo BA. 1994. Cloning and charaterisation of a major allergen of the house dust mite Dermatophagoides
- pteronyssinus, homologous with glutathione S-transferase. Biochim Biophys Acta,1219:521-528. 30 67B. King C. Simpson RJ. Moritz RL, Reed GE, Thompson PJ, Stewart GA. 1996. The isolation and characterization of a novel collagenolytic
- serine protease allergen (Der p 9) from the dust mite Dermatophagoides pteronyssinus. J Allergy Clin Immunol 98:739-47.
- 68. Lind P, Hansen OC, Horn N. 1988. The binding of mouse hybridoma and human IgE antibodies to the major fecal allergen, Der p I of D. pteronyssinus. J. Immunol. 140:4256-4262. 35 69. Dilworth, R. J., K. Y. Chua, and W. R. Thomas. 1991. Sequence analysis of cDNA coding for a mojor house dust allergn Der f I. Clin.
- Exp. Allergy 21:25-32. 70. Nishiyama, C., T. Yunki, T. Takai, Y. Okumura, and H. Okudaira. 1993. Determination of three disulfide bonds in a major house dust mite
- allergen, Der f II. Int. Arch. Allergy Immunol. 101:159-166. 71. Trudinger, M., K. Y. Chua, and W. R. Thomas. 1991. cDNA encoding the major dust mite allergen Der f II. Clin. Exp. Allergy 21:33-38. 40 72. Aki T, Kodama T, Fujikawa A, Miura K, Shigeta S, Wada T, Jyo T, Murooka Y, Oka S, Ono K. 1995. Immunochemical characteristion of
 - recombinant and native tropomyosins as a new allergen from the house dust mite Dermatophagoides farinae. J Allergy Clin Immunol 96:74-83. van Hage-Hamsten, M., T. Bergman, E. Johansson, B. Persson, H. Jornvall, B. Harfast, and S.G.O. Johansson. 1993. N-terminal amino acid sequence of major allergen of the mite lepidoglyphus destructor (abst). J. Allergy Clin. Immunol. 91:353.
- 74. Varela J, Ventas P, Carreira J, Barbas JA, Gimenez-Gallego G, Polo F. Primary structure of Lep d I, the main Lepidoglyphus destructor allergen. Eur J Biochem 225:93-98, 1994. 75. Schmidt M, van der Ploeg I, Olsson S, van Hage Hamsten M. The complete cDNA encoding the Lepidoglyphus destructor major allergen
 - Lep d 1, FEBS Lett 370:11-14, 1995. 76. Rautiainen J, Rytkonen M, Pelkonen J, Pentikainen J, Perola O, Virtanen T, Zeiler T, Mantyjarvi R. BDA20, a major bovine dander
 - allergen characterized at the sequence level is Bos d 2. Submitted. Gjesing B, Lowenstein H. Immunochemistry of food antigens. Ann Allergy 53:602, 1984.
- 50 de Groot, H., K.G.H. Goei, P. van Swieten, and R.C. Aalberse. 1991. Affinity purification of a major and a minor allergen from dog
- extract: Serologic activity of affiity-purified Can f I and Can f I-depleted extract. J. Allergy Clin. Immunol. 87:1056-1065. 79. Konieczny, A. Personal communication; Immunologic Pharmaceutical Corp. 79A. Bulone, V. 1998. Separation of horse dander allergen proteins by two-dimensional electrophoresis. Molecular characterisation and
- 55 identification of Equ c 2.0101 and Equ c 2.0102 as lipocalin proteins. Eur J Biochem 253:202-211. 79B. Swiss-Prot acc. P81216, P81217.
 - McDonald, B., M. C. Kuo, J. L. Ohman, and L. J. Rosenwasser. 1988. A 29 amino acid peptide derived from rat alpha 2 euglobulin triggers murine allergen specific human T cells (abst). J. Allergy Clin. Immunol. 83:251.
- 81. Clarke, A. J., P. M. Cissold, R. A. Shawi, P. Beattie, and J. Bishop. 1984. Structure of mouse urinary protein genes: differential splicing 60 configurations in the 3'-non-coding region. EMBO J 3:1045-1052. 82. Longbottom, J. L. 1983. Chracterization of allergens from the urines of experimental animals. McMillan Press, London, pp. 525-529.
- 83. Laperche, Y., K. R. Lynch, K. P. Dolans, and P. Feigelsen. 1983. Tissue-specific control of alpha 2u globulin gene expression: constitutive synthesis in submaxillary gland. Cell 32:453-460.
- 83A. Aukrust L, Borch SM. 1979. Partial purification and characterization of two Cladosporium herbarum allergens. Int Arch Allergy Appl 65 Immunol 60:68-79.

Substitute Specification for U.S.S.N. 10/728,323 under 37 C.F.R. § 1.125

- 83B. Sward-Nordmo M, Paulsen BS, Wold JK. 1988. The glycoprotein allergen Ag-54 (Cla h II) from Cladosporium herbarum. Structural studies of the carbohydrate moiety. Int Arch Allergy Appl Immunol 53:288-294.
 84. Shen, et al. J. Allergy Clin. Immunol. 103:517, 1999.
- 84A. Crameri R. Epidemiology and molecular basis of the involvement of Aspergillus fumigatus in allergic diseases. Contrib. Microbiol. Vol. 2, Karger, Basel (in press).
- 84B. Shen, et al. (manuscript submitted), 1999
 - 84C. Shen HD, Ling WL, Tan MF, Wang SR, Chou H, Han SIH. Vacuolar serine proteinase: A major allergen of Aspergillus furnigatus. 10th International Congress of Immunology, Abstract, 1998.
- Kumar, A., L.V. Reddy, A. Sochanik, and V.P. Kurup. 1993. Isolation and characterization of a recombinant heat shock protein of Aspergillus fumigatus. J. Allergy Clin. Immunol. 91:1024-1030.
 - Teshima, R., H. Ikebuchi, J. Sawada, S. Miyachi, S. Kitani, M. Iwama, M. Irie, M. Ichinoe, and T. Terao. 1993. Isolation and characterization of a major allergenic component (gp55) of Aspergillus furnigatus. J. Allergy Clin. Immunol. 92:698-706.
- 86A. Shen HD, Lin WL, Tsai JJ, Liaw SF, Han SH. 1996. Allergenic components in three different species of Penicillium: crossreactivity among major allergens. Clin Exp Allergy 54:6444-451.
 86B. Shen. et al. Abstract: The XVIII Congress of the European Academy of Allergology and Clinical Immunology. Brussels, Belgium. 3-7 July
- Shen HD, Liaw SF, Lin WL., Ro LH, Yang HL, Han SH. 1995. Molecular cloning of cDNA coding for the 68 kDa allergen of Penicillium notatum using MoAbs. Clin Exp Allergy 25:350-356.
- 88. Shen, H.D., K.B. Choo, H.H. Lee, J.C. Hsieh, and S.H. Han. 1991. The 40 kd allergen of Candida albicans is an alcohol dehydrogenease: molecular cloning and immunological analysis using monoclonal antibodies. Clin. Exp. Allergy 21:675-681.
- Shen, et al. Člin. Exp. Allergy (in press), 1999.
 Woodfolk JA, Wheatley LM, Piyasena RV, Benjamin DC, Platts-Mills TA.1998. Trichophyton antigens associated with IgE antibodies and
- delayed type hypersensitivity. Sequence homology to two families of serine proteinases. J Biol Chem 273:29489-96.

 91. Deuell, B., L.K. Arruda, M.L. Hayden, M.D. Chapman and T.A.E. Platts-Mills. 1991. Trichophyton tonsur
- 91A. Schmidt M, Zargari A, Holt P, Lindborn L, Hellman U, Whitley P, van der Ploeg I, Harfast B, Scheynius A. 1997. The complete cDNA sequence and expression of the first major allergenic protein of Malassezia furfur, Mal f 1. Eur J Biochem 246:181-185.
- 91B. Horner WE, Reese G, Lehrer SB. 1995. Identification of the allergen Psi c 2 from the basidiomycete Psilocybe cubensis as a fungal cyclophilin. Int Arch Allergy Immunol 107:298-301.
 30
 92. Kuchler K, M. Gmenchl, M. J. Sirol, and G. Kreil. 1989. Analysis of the cDNA for phospholipase A2 from honey bee venom glands: The
- deduced amino acid sequence reveals homology to the corresponding vertebrate enzymes. Eur. J. Biochem. 184:249-254,
 93. Gmachi, M., and G. Kreil. 1993. Bee venom hysluronidase is homologous to a membrane protein of mammalian sperm. Proc. Natl. Acad.
 Sci. USA 00:3569-3573.
 94. Habermann, E. 1972. Bee and wasp venoms. Science 177:314-322.
- Jacobson, R.S., and D.R. Hoffman. 1993. Characterization of bumblebee venom allergens (abst). J. Allergy Clin. Immunol. 91:187.
 - Jaccoson, R.S., and D.K. Polimani. 1993. Guarderization of dimonetore vention antergois (atos). J. Arteryol. In: Immanol. 91.187.
 Arruda LK, Vailes LD, Mann BJ, Shannon J, Fox JW, Vedvick TS, Hayden MI, Chapman MD. Molecular cloning of a major cockroach (Blattella germanica) allergen, Bla g 2. Sequence homology to the aspartic proteases. J Biol Chem 270:19563-19568, 1995.
- Arruda LK, Vailes LD, Hayden ML, Benjumin DC, Chapman MD. Choning of cockroach allergen, Bla g 4, identifies ligand binding proteins (or calycins) as a cause of IgE antibody responses. J Biol Chem 270:31196-31201, 1995.
 Arruda LK, Vailes LD, Benjumin DC, Chapman MD. Molecular cloning of German Cockroach (Blattella germanica) allergens. Int Arch
 - Allergy Immunol 107:295-297, 1995.

 98A. Wu CH, Lee MF, Liao SC. 1995. Isolation and preliminary characterization of cDNA encoding American cockroach allergens. J Allergy
 Clin Immunol 96: 352-9.
- Mazur, G., X. Baur, and V. Liebers. 1990. Hypersensitivity to hemoglobins of the Diptera family Chironomidae: Structural and functional studies of their immunogenic/allergenic sites. Monog. Allergy 28:121-137.
 - 100. Soldatova, L., L. Kochoumian, and T.P. King. 1993. Sequence similarity of a hornet (D. maculata) venom allergen phospholipase A1 with mammalian lipases. FEBS Letters 320:145-149.
 101. Lu, G., L. Kochoumian and T.P. King. Whiteface hornet venom allergen hyaluronidase: cloning and its sequence similarity with other
- proteins (abst.). 1994. J. Allergy Clin. Immunol. 93:224.

 50 102. Fang, K. S. F., M. Vitale, P. Fehlner, and T. P. King. 1988. cDNA cloning and primary structure of a white-faced horner venom allergen.
- antigen 5. Proc. Natl. Acad. Sci., USA 85:895-899.

 103. King, T. P., D. C. Moran, D. F. Wang, L. Kochoumian, and B.T. Chait. 1990. Structural studies of a hornet venom allergen antigen 5, Dol m V and its sequence seminarity with other proteins. Prot. Seq. Data Anal. 3:263-266.
- 104. Lu, G., M. Villalba, M.R. Coscia, D.R. Hoffman, and T.P. King. 1993. Sequence analysis and antigen cross reactivity of a venom alleren antigen 5 from homes, wasns and vellowiackets. J. Immunol. 150: 2823-2830.
- 105. King, T. P. and Lu, G. 1997. Unpublished data. 105A. King TP, Lu G, Gonzalez M, Qian N and Soldstova L. 1996. Yellow jacket venom allergens, hyaluronidase and phospholipase: sequence similarity and antigenic cross-reactivity with their hornet and wasp homologs and possible implications for clinical allergy. J. Allergy Clin.
- similarity and antigenic cross-reactivity with their horned and wasp hornologs and possible implications for clinical altergy. J. Altergy Clin.
 Immunol. 98:538-600.

 60 106. Hoffman, D.R. 1993. Altergen in hymenopters wor
- Hoffman, D.R. 1992. Unpublished data.
 Hoffman, D. R. 1993. The complete amino acid sequence of a yellowjacket venom phospholipase (abst). J. Allergy Clin. Immunol. 91:187.
- 65 109. Jacobson, R.S., D.R. Hoffman, and D.M. Kemeny. 1992. The cross-reactivity between bee and vespid hyaluronidases has a structural basis (abst). J. Allerey Clin. Immunol. 89:292.

Substitute Specification for U.S.S.N. 10/728,323 under 37 C.F.R. § 1.125

- 110. Hoffman, D.R. 1993. Allergens in Hymenoptera venom XXIV: The amino acid sequences of imported fire ant venom allergens Sol i II, Sol i III, and Sol i IV. J. Allergy Clin. Immunol. 91:71-78.
- 111. Schmidt, M., R.B. Walker, D.R. Hoffman, and T.J. McConnell. 1993. Nucleotide sequence of cDNA encoding the fire ant venom protein
- Sol i II. FEBS Letters 319:138-140.
- Elsayed S, Bennich H. The primary structure of Allergen M from cod. Scand J Immunol 3:683-686, 1974.
 Elsayed S, Aas K, Sletten K, Johansson SGO. Tryptic cleavage of a homogeneous cod fish allergen and isolation of two active
- polypeptide fragments. Immunochemistry 9:647-661, 1972.

 114. Hoffman, D. R. 1983. Immunochemical identification of the allergens in egg white. J. Allergy Clin. Immunol. 71:481-486.
- 115. Langeland, T. 1983. A clinical and immunological study of allergy to hen's egg white. IV. specific IgE antibodies to individual allergens in hen's egg white related to clinical and immunological parameters in egg-allergic patients. Allergy 38:493-500.
- 116. Daul, C.B., M. Saltery, J.E. Morgan, and S.B. Lehrer. 1993. Common crustace allergess: identification of B cell epitopes with the shrimp specific monoclonal antibodies. In: "Molecular Biology and Immunology of Allergens" (D. Kraft and A. Schon, eds.). CRC Press, Boca Ration, pp. 291-293.
- K.N. Shanti, B.M. Martin, S. Nagpal, D.D. Metcalfe, P.V. Subba Rao. 1993. Identification of tropomyosin as the major shrimp allergen and characterization of its Igb-binding epitopes. J. Immunol. 151:534-5363.
 H.M. Mivazawa, H. Pickamachi, Y. Hansaki, G. Rosse, C.B. Daul, S.B. Loher, S. Inouve, M. Sakaguchi, 1996. Identification of the first
 - major allergen of a squid (Todarodes pacificus). J. Allergy Clin. Immunol. 98:948-953.

 117B A. Lopata et al. 1997. Characteristics of hypersensitivity reactions and identification of a uniques 49 kDa lgE binding protein (Hal-m-1) in
 - 117B A. Lopata et al. 1997. Characteristics of hypersensitivity reactions and identification of a uniques 49 kDa IgE binding protein (Hal-m-1) in Abalone (Haliotis midae). J.Allergy Clin. Immunol. Submitted
- 20 118. Monsalve, R.I., M.A. Gonzalez de la Pena, L. Menendez-Arias, C. Lopez-Otin, M. Villalba, and R. Rodriguez. 1993. Characterization of a new mustral allergen, Bira J. Ill. Exclusion of an allergenic epitope. Biochem. J. 293-525-542.
 19. Mena, M., R. Stanchez-Monge, L. Gomze, G. Saleddo, and P. Carbonero. 1992. A major barley allergen associated with baker's authmate diseases is a physosylated momorner inhibitor of innext alpha-amylanes: CDNA cleaning and chromosomal Usenion of the gene Profile. Biol. 1995.
- disease is a glycosylated monomeric inhibitor of insect alpha-amylase: cDNA cloning and chromosomal location of the gene. Plant Molec. Biol. 20:451-458.

 120. Menendez-Arias, L., I. Moneo, J. Dominguez, and R. Rodriguez. 1988. Primary structure of the major allargen of yellow mustard (Sinapis
- Menendez-Arias, L., I. Moneo, J. Dominguez, and R. Rodriguez. 1988. Primary structure of the major allergen of yellow mustard (Sinapa alba L.) seed, Sin a 1. Eur. J. Biochem. 177:159-166.
 - Gonzalez R, Varela J, Carreira J, Polo F. Soybean hydrophobic protein and soybean hull allergy. Lancet 346:48-49, 1995.
- Christie, J. F., B. Dunbar, I. Davidson, and M. W. Kennedy. 1990. N-terminal amino acid sequence identity between a major allergen of Ascaris lumbricoides and Ascaris summ and MIC-extricted lgE responses to it. Immunology 69:996-602.
 Cazunon AB. Chen Z. Rennet T. S. Encelle T. "Mever HE. Heber M. Baur X. The pubber elongation factor of rubber trees (Hevea
- brasiliensis) is the major allergen in latex. J Allergy Clin Immunol 92:690-697, 1993.

 124. Attanayaka DPSTG, Kekwick RGO, Frankler JCH. 1991. Molecular cloning and nucleotide sequencing of the rubber elongation factor gene from heves brasiliensis. Plant Mol Biol 1:079-1081.
- 125. Chye ML, Cheung KY. 1995. (1,3-glucanase is highly expressed in Laticifers of Hevea brasiliensis. Plant Mol Biol 26:397-402.
- Alenius H, Palosuo T, Kelly K, Kurup V, Reunala T, Makinen-Kiljunen S, Turjanman K Fink J. 1993. IgE reactivity to 14-kD and 27-kD natural rubber proteins in Latex-allergic children with Spina bifida and other congenital anomalies. Int Arch Allergy Immunol 102:67-06.
 Yeang HV, Choon KF, Sunderssan E, Hamzah S, Chew NP, Hamid S, Hamilton RG, Cardosa MJ. 1996. The 14-6 kD (REF, Hev b 1)
- and 24 kD (Hev b 3) nobelog particle proteins are recognized by IgE from Spring Billidg patients with Latex allergy. J Albert 200 kB (Her Clin Immunol in press. 128. Sundersass B, Hamzah S, Hamid S, Ward MA, Yeang HY, Cardosa MJ. 1995. Latex B-serum (-1,3-glucanase (Hev b 2) and a component of the microchelic (Hev b 4) are major Latex allegens. J nat Rubb Res 10x32-99.

Exchange.3196648.1